

O PROJETO LÓCUS DE CONTROLE DA SAÚDE EM PACIENTE COM HANSENÍASE

SILVA, L.C.P.¹

SILVEIRA, J.M.²

MUNIZ, C.F.³

¹ Luiz Carlos Pereira da Silva, acadêmico do 9º período do Curso de Fisioterapia do Centro Universitário UnirG.

² Janne Marques Silveira, professora dos Cursos de Fisioterapia e Medicina do Centro Universitário UnirG.

³ Cláudio Franco Muniz, professor dos Cursos de Fisioterapia e Medicina do Centro Universitário UnirG.

RESUMO

A hanseníase é um problema de saúde pública no Brasil, sendo que o Estado do Tocantins ocupa o segundo lugar em número de casos, com coeficiente de detecção de 93,01 casos/100.000 habitantes. Tem alto poder de deformidades e incapacidades que predispõem o paciente ao estigma reforçado pelos conceitos da sociedade que atribui a palavra “lepra”, contribuindo para o isolamento social e comprometimento da qualidade de vida do paciente. O objetivo do estudo foi aplicar a Escala de Lócus de Controle da Saúde em pacientes com hanseníase, para qualificar e quantificar a sua percepção em relação à doença. 59 pacientes com idade de $43,90 \pm 18,09$ anos, IC 95% responderam a um questionário sociocultural e à Escala de Lócus de Controle da Saúde. O maior nível de escolaridade determinou a adesão ao tratamento ($p < 0,00001$). Predominou a internalidade no grupo de gênero masculino ($p = 0,0047$) e de pacientes multibacilares ($p = 0,0044$). Pessoas com predomínio da internalidade apresentam características distintas como interesse, auto-estima elevada, motivação de auto-realização e persistência para enfrentamento da situação. Conhecer a subescala do paciente com hanseníase é importante para implementação de um programa de tratamento com melhor adequação da equipe de saúde, permitindo a integração do fisioterapeuta na equipe, cujas intervenções beneficiam o paciente com tratamento direcionado às suas necessidades, visando eficácia na prevenção e tratamento das deformidades, integralização do paciente com o grupo e maior independência nas atividades de vida diárias e melhor qualidade de vida.

Palavras-chave: Lócus de controle da saúde. Hanseníase. Estigma.

ABSTRACT

The Leprosy is a public health problem in Brazil, being that the state of Tocantins occupies the second spot in number of cases, with coefficient of detection of 93,01 cases/100.000 inhabitants. It has high power of deformities and incapacities that predispose the patient to the reforced stigma by the concepts of the society attributes to the word “Leprosy”, contributing for the social isolating and commitment of the life quality of the patient. The objective of the study was to apply the Locus Scale of the Health Control in patients with leprosy, to qualify and quantify its perception in relation to the illness. 59 patients with ages from $43,90 \pm 18,09$ years old, IC 95% answered to a socio-cultural questionnaire and to the Locus Scale of Health Control. The highest level of scholarity determined that the adhesion to the treatment ($p < 0,00001$). Predominated the internality in the group of male gender ($p = 0,0047$) and of multibacilar patients ($p = 0,0044$). People with predomination of internality present distinct characteristics like interest, elevated self-estimate, motivation of self-realization and

persistence for the confronting of the situation. To know the subscale of the patient with leprosy is important to the implementation of and treatment program with best adequation of the health equip, allowing the integration of the physiotherapist in the equip, whose interventions beneficiate the patient with directioned treatment to its necessities, aiming at the efficacy in the prevention and deformities treatment, integration of the patient with the group and bigger independence in life's diary activities and better quality of life.

Keywords:Locus of health control. Leprosy. Stigma

Data de envio: 05.06.2009

Data de aceite: 05.06.2009

REVISTA CEREUS



Av. Bahia, entre ruas 3 e 4, Telefone: 3612-7602.

Cep: 77400-100. Gurupi-TO

<www.revistacereus.unirg.edu.br>.

CENTRO UNIVERSITÁRIO UnirG



Av. Guanabara, 1842, Centro. Telefone: (63) 3612-7619.

Cep: 77403-080. Gurupi-TO

<www.unirg.edu.br>.

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.